

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

771

several months. The sickness lasts about six months generally, seldom longer. The eruptions generally occur between the toes and fingers, on the back, at the corners of the mouth, the nose, etc.

II. Ringworm (Tinea imbricata).

Ringworn is very general in the Marshall Islands, where as many as 10 per cent of the population may be said to suffer with it. As it does not affect the general health and is troublesome only through the irritation which it causes, the natives did nothing to heal it formerly. They are now using an ointment made of sulphur and cocoanut oil. The inhabitants call the disease "gogo." In the island of Yap it is called "fatafat," and in Ponape it is known as "kilinwai." In the Gilbert Islands it is called "tukunekune," and the natives named it "etemane" in Nauru.

Another skin disease prevalent among the natives of the Marshall Islands is called by the inhabitants "djenn." With this disease, spots are found on the face, neck, and breast.

FRANK H. MASON, United States Consul-General.

The SURGEON-GENERAL, U. S. Marine-Hospital Service.

HAWAIIAN ISLANDS.

Treatment of vessels from Sydney on account of plague.

HONOLULU, H. I., March 7, 1902.

SIR: I have the honor to inform you that on account of the recent appearance of bubonic plague at Sydney, New South Wales, all vessels entering here from that port will be ordered to the channel wharf and handled under our immediate supervision. The usual regulations for ports infected with plague as to disinfection of baggage and freight and the bathing of passengers will be enforced. I have forwarded through the agents of both of the passenger lines full instructions concerning the conduct of their vessels and the inspection of passengers while at Sydney, and have insisted that all precautions claimed to have been taken must be duly certified to by the United States consul. With these vessels at the channel wharf, capable, as the latter is, of being completely isolated from the shore in less than five minutes, there is very little danger from escaping rats. With the quick method of handling a vessel at this wharf the incoming and outgoing work can be performed in a very short time.

Respectfully,

L. E. Cofer,

Passed Assistant-Surgeon, U. S. M. H. S., Chief Quarantine Officer, Hawaii.

The SURGEON-GENERAL,

U. S. Marine-Hospital Service.

Confirming reports of deaths from plague.

HONOLULU, H. I., March 7, 1902.

SIR: Referring to my telegrams of February 24 and March 3, 1902, concerning new cases of plague at Honolulu, I have the honor to report as follows:

The first death on February 17 occurred in the case of a pupil (a native girl) in the Kawaiahao seminary, which latter is located on King